

10/26/00
JC957 U.S. PTO

0-27-00

EK 538 216 76045

A

Please type a plus sign (+) inside this box → ☐

PTO/SB/05 (08-00)
Approved for use through 10/31/2002. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. **AUS9-1997-0113-US2**
First Inventor **Shrader et al.**
Title **Method and System for Web-Based DCE Management**
Express Mail Label No. **EK 538 216 76045**

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. ☒ Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original and a duplicate for fee processing)
2. ☐ Applicant claims small entity status.
See 37 CFR 1.27.
3. ☒ Specification [Total Pages **30**]
(preferred arrangement set forth below)
 - Descriptive title of the invention
 - Cross Reference to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to sequence listing, a table, or a computer program listing appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
4. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets **5**]
5. Oath or Declaration [Total Pages **3**]
 - a. ☐ Newly executed (original or copy)
 - b. ☒ Copy from a prior application (37 CFR 1.63 (d))
(for continuation/divisional with Box 17 completed)
 - i. ☐ **DELETION OF INVENTOR(S)**
Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).
6. ☐ Application Data Sheet. See 37 CFR 1.76

ADDRESS TO: Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

7. ☐ CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix)
8. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
 - a. ☐ Computer Readable Form (CRF)
 - b. Specification Sequence Listing on:
 - i. ☐ CD-ROM or CD-R (2 copies); or
 - ii. ☐ paper
 - c. ☐ Statements verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

9. ☒ Assignment Papers (cover sheet & document(s))
10. ☐ 37 CFR 3.73(b) Statement (when there is an assignee) ☒ Power of Attorney
11. ☐ English Translation Document (if applicable)
12. ☒ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
13. ☐ Preliminary Amendment
14. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
16. ☒ Other: Associate Power of Attorney

17. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment, or in an Application Data Sheet under 37 CFR 1.76:

☐ Continuation ☒ Divisional ☐ Continuation-in-part (CIP)

of prior application No.: 08 / 889,727

Prior application information:

Examiner **Sax**

Group / Art Unit: **2773**

For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 5b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

18. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label

(Insert Customer No. or Attach bar code label here)

or ☒ Correspondence address below

Name	Joseph R. Burwell				
Address	Law Office of Joseph R. Burwell				
	PO Box 28022				
City	Austin	State	TX	Zip Code	78755-8022
Country	USA	Telephone	512-502-9448	Fax	512-597-1218

Name (Print/Type)	Jeffrey S. LaBaw	Registration No. (Attorney/Agent)	31,633
Signature	<i>Jeffrey S. LaBaw</i>		Date 10/26/00

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

10/26/00
JC922 U.S. PTO
09/697264

FEE TRANSMITTAL for FY 2001

Patent fees are subject to annual revision.

TOTAL AMOUNT OF PAYMENT (\$) 710

Complete if Known

Application Number	(Divisional of 08/889,727)
Filing Date	Herewith
First Named Inventor	Shrader et al.
Examiner Name	Sax
Group Art Unit	2773
Attorney Docket No.	AUS9-1997-0113-US2

METHOD OF PAYMENT

1. ☒ The Commissioner is hereby authorized to charge indicated fees and credit any overpayments to:

Deposit Account Number 09-0447
Deposit Account Name IBM Corporation

☒ Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17

☐ Applicant claims small entity status. See 37 CFR 1.27

2. ☐ Payment Enclosed:

☐ Check ☐ Credit card ☐ Money Order ☐ Other

FEE CALCULATION

1. BASIC FILING FEE

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
101 710	201 355	Utility filing fee	\$710
106 320	206 160	Design filing fee	
107 490	207 245	Plant filing fee	
108 710	208 355	Reissue filing fee	
114 150	214 75	Provisional filing fee	

SUBTOTAL (1) (\$) 710

2. EXTRA CLAIM FEES

Total Claims	Extra Claims	Fee from below	Fee Paid
18	-20** = 0	\$18	\$0
3	-3** = 0	\$80	\$0
Multiple Dependent		\$270	\$0

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description
103 18	203 9	Claims in excess of 20
102 80	202 40	Independent claims in excess of 3
104 270	204 135	Multiple dependent claim, if not paid
109 80	209 40	** Reissue independent claims over original patent
110 18	210 9	** Reissue claims in excess of 20 and over original patent

SUBTOTAL (2) (\$) 0

**or number previously paid, if greater; For Reissues, see above

FEE CALCULATION (continued)

3. ADDITIONAL FEES

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
105 130	205 65	Surcharge - late filing fee or oath	
127 50	227 25	Surcharge - late provisional filing fee or cover sheet	
139 130	139 130	Non-English specification	
147 2,520	147 2,520	For filing a request for <i>ex parte</i> reexamination	
112 920*	112 920*	Requesting publication of SIR prior to Examiner action	
113 1,840*	113 1,840*	Requesting publication of SIR after Examiner action	
115 110	215 55	Extension for reply within first month	
116 390	216 195	Extension for reply within second month	
117 890	217 445	Extension for reply within third month	
118 1,390	218 695	Extension for reply within fourth month	
128 1,890	228 945	Extension for reply within fifth month	
119 310	219 155	Notice of Appeal	
120 310	220 155	Filing a brief in support of an appeal	
121 270	221 135	Request for oral hearing	
138 1,510	138 1,510	Petition to institute a public use proceeding	
140 110	240 55	Petition to revive - unavoidable	
141 1,240	241 620	Petition to revive - unintentional	
142 1,240	242 620	Utility issue fee (or reissue)	
143 440	243 220	Design issue fee	
144 600	244 300	Plant issue fee	
122 130	122 130	Petitions to the Commissioner	
123 50	123 50	Petitions related to provisional applications	
126 240	126 240	Submission of Information Disclosure Stmt	
581 40	581 40	Recording each patent assignment per property (times number of properties)	
146 710	246 355	Filing a submission after final rejection (37 CFR § 1.129(a))	
149 710	249 355	For each additional invention to be examined (37 CFR § 1.129(b))	
179 710	279 355	Request for Continued Examination (RCE)	
169 900	169 900	Request for expedited examination of a design application	

Other fee (specify) _____

* Reduced by Basic Filing Fee Paid

SUBTOTAL (3) (\$)

SUBMITTED BY

Name (Print/Type)	Jeffrey S. LaBaw	Registration No. (Attorney/Agent)	31,633	Telephone	512-823-0494
Signature	<i>Jeffrey S. LaBaw</i>	Date	10/26/00		

Complete (if applicable)

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

10/26/00
09/697264
U.S. PTO
10/26/00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Shrader et al.

Docket No: AUS919970113US2

Group No: group no. 2773

Serial No. (Divisional of 08/889,727 Examiner: Sax

For: Method and System For Web-Based DCE Management

Assistant Commissioner of Patents

Washington, D. C. 20231

EXPRESS MAIL CERTIFICATE

"Express Mail" Label Number: EK 538 216 760 US

Date of Deposit: 10/26/2000

I hereby certify that the following attached paper or fee

What mailed

Associate Power of Attorney
Divisional (PTO/SB/05)
Request Transmittal (PTO/SB/17)
Form PTO-1449 List of Art
Assignment (Copy of S/N 08/889,727)
Declaration (Copy of S/N 08/889,727)
Patent Application
Drawings
Post Card

is being deposited with the United States Postal Service

"Express Mail Post Office to Addressee" service under 37 CFR

1.10 on the date indicated above and is addressed to

Assistant Commissioner of Patents, Washington, D. C. 20231.

Nancy Werchan

(Typed or printed name of person
mailing paper or fee)

Nancy Werchan
(Signature of person mailing paper
or fee)

009207-4926960

AUS9-1997-0113-US2

METHOD AND SYSTEM FOR WEB-BASED DCE MANAGEMENT**CROSS-REFERENCE TO RELATED APPLICATIONS**

5 This is a divisional application of U.S. Patent Application Serial Number 08/889,727, filed July 08, 1997, now allowed, titled "Web-Based DCE Management".

BACKGROUND OF THE INVENTION

10 **1. Field of the Invention**

The present invention relates to an improved data processing system and, in particular, to a method and system for administration and management of computer resources in a distributed computer network.

15 **2. Description of Related Art**

The burdens on computer network administrators have been rapidly growing both in volume and in complexity. Chief among these burdens is the need for corporate administrators to manage their so-called "Distributed Computing Environment" cells. DCE is a known distributed environment that has been widely implemented using software available from the Open Systems Foundation (OSF). In a distributed computing environment, a group of machines is typically referred to as a "domain." An OSF DCE domain is called a "cell." A DCE cell is often a complex environment involving hundreds of machines in many locations.

DCE offers many management challenges to the network administrator. The management tasks are quite broad in scope, ranging from defining new accounts to retrieving

20
25
30

AUS9-1997-0113-US2

the status of DCE servers. In the past, there has not been a convenient user interface by which the administrator can perform these various management tasks in an efficient, consistent and reliable manner. For example, to define a DCE account, the administrator must create a DCE principal, add the principal to a group, add the principal to an organization, and then finally create the account. This operation requires access to multiple display menus and entry of numerous commands. As another example, it is important for the network administrator to be aware of the current status of all DCE servers in the environment. Known DCE management interfaces do not provide simple graphical presentation of server status, and thus administrators cannot easily retrieve information about them so as to facilitate and execute management actions. As a result, known DCE management schemes presently implement complex, text-based management interfaces that include unnecessary information that complicates the efficient management of DCE cells.

The present invention addresses this important problem.

SUMMARY OF THE INVENTION

5 It is another primary object of the invention to
provide for graphical-based administration of a DCE cell.

It is a more general object of the invention to allow Web browser-based administration of a set of networked computers connecting in a distributed environment.

It is another object of the invention to enhance the consistency, simplicity and portability of DCE cell management and thereby enable network administrators to easily retrieve information on a DCE cell and execute management actions against such information.

Still another object of the invention is to take advantage of Web browser "frames" to present a network administrator with complementary input and output

AUS9-1997-0113-US2

information between which the administrator may navigate to effect different management actions.

Another object is to enable the network administrator to easily determine the status of any DCE
5 server in the environment.

The present invention takes advantage of a known Web browser mechanism and existing DCE interfaces to facilitate and simplify management of DCE cells. In the preferred embodiment, administration may be performed
10 from any secure Web browser acting as a client.

Management data is typically supported on a target Web server. At the browser, CGI scripts are used to dynamic generate HTML (hypertext markup language) pages based on the network administrator's selections and the current
15 state and defined objects in the DCE cell. The result is a robust and efficient Web-based DCE management scheme that provides significant advantages over the simple text-based and other known interfaces of the prior art.

The Web-based interface design of the invention is hierarchical, starting with a logon page that allows the
20 administrator to log into the cell that includes the target Web server. After logon, the administrator proceeds to a DCE Web Administration main menu from which a number of management actions may be launched including
25 DCE command line operations (using the DCECP function), server status inquiries, and "fast path" tasks. Hyperlink references are provided to facilitate navigation options. From the DCECP Commands hyperlink, the administrator proceeds to a table display of the main
30 functions available in DCECP, which include registry groupings of principals, groups, organizations and

AUS9-1997-0113-US2

accounts. Management functions are facilitated using a dual frame display whenever information is input by the administrator in one frame while management data is simultaneous output in another frame. Preferably, form-based information is received in the first frame of the display. This frame technique maximizes interaction and feedback to the administrator, who would otherwise have to switch back and forth between the forms page and the output page to analyze the impact of administrative actions using the DCECP command functions.

The upper frame of the interface is preferably subdivided into a number of display areas. In a command line interface, there are predetermined relationships between underlying objects and actions that make up the interface. A first display area of the upper frame of the invention displays a graphical representation of the CLI object/action hierarchy. Hyperlinks associated with the elements in the representation present the administrator with simple navigation options. A second display area includes a form by which the user types in, selects and/or checks information associated with a particular object/action relationship. A third display area may be used to display control elements. According to the invention, the user may navigate (within the first display area) between actions associated with the same object, in which case the interface preferably retains in the second display area a last context selected by the user. The user may also navigate within the first display area) to new objects, in which case the interface preferably refreshes the second display area as needed to

AUS9-1997-0113-US2

illustrate a new context between the new object and its associated actions.

The foregoing has outlined some of the more pertinent objects and features of the present invention.

5 These objects should be construed to be merely illustrative of some of the more prominent features and applications of the invention. Many other beneficial results can be attained by applying the disclosed invention in a different manner or modifying the
10 invention as will be described. Accordingly, other objects and a fuller understanding of the invention may be had by referring to the following Detailed Description of the Preferred Embodiment.

0069234-10600

AUS9-1997-0113-US2

DETAILED DESCRIPTION OF THE INVENTION

A representative system in which the present invention is implemented is illustrated in **Figure 1**. A client machine **10** is connected to a Web server platform **12** via a communication channel **14**. For illustrative purposes, channel **14** is the Internet, an Intranet or other known network connection. Client and server, in turn, are located within a DCE domain or "cell", which is generally a set of connected machines that share a single namespace. Web server platform **12** is one of a plurality of servers which are accessible by clients, one of which is illustrated by machine **10**. It supports files in the form of hypertext documents and objects.

A representative client machine includes a browser **16**, which is a known software tool used to access the servers of the network. Representative browsers that support frames include, among others, Netscape Navigator, Microsoft Internet Explorer or the like, each of which are "off-the-shelf" or downloadable software programs. The Web browser **16** implements display "frames." A frame is a dedicated region or area of the browser display screen which includes separate display control elements such as scroll bars and the like. In the preferred embodiment, a "dual" frame approach is used, however, this is merely exemplary as any number of frames may be used in the DCE management interface.

A representative Web Server platform **12** comprises an IBM RISC System/6000 computer **18** (a reduced instruction set of so-called RISC-based workstation) running the AIX

AUS9-1997-0113-US2

(Advanced Interactive Executive Version 4.1 and above)
Operating System 20 and a Web server program 22, such as
Netscape Enterprise Server Version 2.0. The platform 12
also includes a graphical user interface (GUI) 24 for
5 management and administration. While the above platform
is useful, any other suitable hardware/operating
system/Web server combinations may be used.

The DCE cell includes a number of services
including, among others, a Security Service 52. The DCE
10 cell may use so-called DCE Kerberos-based authentication.
A UNIX "credential" is associated with each operation and
holds the local authentication information for that
operation. In particular, a credential is a data
structure defining a particular machine (or a user on a
15 multi-user machine). The credential typically includes a
user id, a group id, optionally a list of operating
system privileges, and an authentication identifier known
as a PAG (Process Authentication Group). The PAG acts as
a tag for associating "tickets" between clients and the
20 DCE Security Server 52. When users authenticate via the
DCE Login facility, known as dce_login, the DCE Security
Service interacts with the client (across the network)
through a setpag() interface to establish the PAG/ticket
relationship in the process's credential. When a user
25 (at a client machine) has properly authenticated via a
DCE login, the credential is retained at each end of the
connection.

According to the present invention, administrators
manage the DCE cell from any secure Web browser, such as
30 browser 16 shown in **Figure 1**. In the preferred
embodiment, the preferred interface is hierarchical. It

AUS9-1997-0113-US2

may start with a logon page that allows DCE cell administrators and other users to log into the DCE cells that includes the target Web server. A representative logon page is illustrated in **Figure 2**. It includes a fill-in form comprising a Userid field 60, a Password field 62, a Submit button 64 and a Reset button 66.

Faced with this screen, the administrator may decline to logon but, in such case, he or she would be limited in which functions may be performed later. As noted above, the display is located within a Web browser window 65.

It may thus be considered to be a Web page.

Figure 3 is a flowchart illustrating the basic operation of the hierarchical display interface according to the present invention. At step 70, the logon page as illustrated in **Figure 2** is displayed. Thereafter, the user enters the userid and password at step 72. A check is then made at step 74 to determine whether the user can be authenticated. If the user cannot be authenticated, which is indicated by a negative outcome of the test at step 74, the routine continues at step 76 to restrict the user's access to the DCE management tasks. If, however, the user can be authenticated, the routine continues at step 78 to display a DCE Web Administration main menu. The main menu generally includes a list of high level management operations such as "DCE Fast Path," "DCE Server Status" and "DCECP Commands." These operations (and their associated commands are merely representative). At step 80, a test is performed to determine whether the administrator has selected the DCE Fast Path command. Such selection may be accomplished by

AUS9-1997-0113-US2

clicking on a hypertext reference link associated with the command line, in a known manner. If the administrator has selected the DCE Fast Path command, the routine branches to step 82 to provide a new Web page from which a DCE Fast Path command may be implemented.

Fast Path commands allow the administrator to perform commonly used tasks in one step that usually require multiple steps. For example, the DCE Fast Path Tasks page provides the administrator with a link to a form where the administrator can define an account in one step without forcing the administrator to first create the principal, add the principal to a group, add the principal to an organization, and finally create the account. Of course, defining an account is merely one "Fast Path" task that may be implemented.

If the outcome of the test at step 80 is negative, a test is then performed at step 84 to determine whether the administrator has selected (e.g., via activating a hypertext link) the DCE Server Status command from the main menu Web page. If so, the routine branches to step 86 to provide a display showing what servers are installed in the DCE cell and their current status.

Figure 4 represents the Web page display. As illustrated, the page is maintained within the Web browser window and includes a first table 88 showing the "Configuration Status" of DCE Servers and a second table 90 illustrating their "Process Status." The information is provided in a convenient, easy-to-understand format that may be readily accessed and used by the administrator. In particular, the information is presented in a manner expected by the administrator and

without unnecessary data or other noise. Although not illustrated in detail, it should be appreciated that the mechanism also enables the administrator to obtain other attributes about the servers (e.g., such as which hostnames they reside on) as may be convenient.

As shown, the Web browser has first and second frames 94 and 96, each of which includes its own set of control bars, in a known manner. The first and second frames could be side-by-side as opposed to one above the other. The relative size of the first and second frames may be different, and a different number of frames may be used. In this embodiment, the upper frame 94 includes the DCECP main menu table 100, and the lower frame 96 includes a display of management data (in this case a Help screen showing a DCECP object listing). The main menu table 100 is organized into a defined hierarchy with the various registry objects including account and principal. The group and organization objects, among

AUS9-1997-0113-US2

others, are not shown. Although not illustrated, a DCE principal may belong to many groups but typically just one "primary" group. Likewise, a DCE organization may belong to many organizations but typically just one primary organization. As can be seen, the registry object called "account" has a number of "actions" associated therewith: catalog, create, delete, generate, modify and show, and the registry object called "principal" has its associated action set. Each of the actions in a given set has associated therewith a hypertext link. Typically, the actions are operations that are common to more than one object (although this is not required). When the user moves the mouse pointer over the link, the link target is displayed in the Status bar 105. Activation (i.e. selection) of a link on the Web page generates an HTML request in a known manner.

Generalizing, in the DCECP command line interface, there are predetermined "relationships" that exist between the underlying objects and their actions. A detailed description of these relationships is beyond the scope of the present invention, however, the inventive interface takes advantage of the known relationships between the underlying objects and actions to create a robust mechanism for presenting and manipulating information on top of a command line interface (CLI) such as DCECP. This is illustrated in **Figure 6** by way of example. **Figure 6** is a multi-frame Web page displayed when the administrator selects the account show action from the main menu table displayed in **Figure 5**.

The upper frame comprises several areas, and the relative positions of each area as shown is merely

AUS9-1997-0113-US2

illustrative. at the top of the frame (just below the title line), a data structure 110 is displayed in a first display area 109. Data structure 110 is a graphical representation of a hierarchy of the CLI interface and thus illustrates the known "relationships" between the various objects and their actions. In this representative embodiment (involving the DCECP CLI), the hierarchy comprises the DCECP main menu entry 111, a registry objects entry 112 including a set of registry objects each separated by [], and actions entry 114 including a set of actions each separated by []. The graphical representation may take on other forms (such as the display of icons or other graphical devices) representing the various objects and actions. Preferably, each "element" of the representation includes a hypertext link associated therewith so that (in the context of a Web page) the particular object or action may be selected by a conventional point and click or other input method. If an element of the hierarchy is being currently displayed, it is typically highlighted (e.g., by bolding).

The DCECP command Web page upper frame also includes a second display area 115 located between a pair of display elements 118 and 120. Display area is variable and may include many different types of elements. Typically, this area includes a "form" displaying a set of elements (e.g., object names, account names, lists of attributes associated with objects, etc.) and an active control such as a scroll bar or other known device. In this particular example, the display area includes a listbox 116, although it should be appreciated that the

AUS9-1997-0113-US2

actual graphical device (i.e. the form) displayed in area 115 will typically vary as the user undertakes to move through the hierarchy by pointing and clicking on the links.

5 The upper frame may also include a third display area 121 underlying the second display area 115. In general, display area 121 includes one or more dialog boxes, checkboxes and/or control buttons, for example, to facilitate the "execution" of the variable form
10 information entered in the second display area 115.

Thus, the Execute button packages the form information - whatever the user types in, selects and/or checks - in the display area 115, and passes it to the Web server for execution (typically via a CGI script). The resulting
15 output or error information may then be displayed in the bottom frame. Additional controls may also be included in the third display area 121. For example, the Reset button sets all the variable form controls back to their initial values. A Debug checkbox allows the
20 administrator to gain additional output in the bottom frame, such as the format and type of CGI parameters passed to the server. A Verb Help checkbox provides verbose textual help when the administrator selects the button. These controls are merely representative.

25 According to the present invention, the interface takes advantage of the existing object and action relationships of the CLI interface as such representations are set forth in the data structure 110. When the administrator moves from a first action to a
30 second action associated with the same object, the interface retains (as a default) whatever last "context"

09697264-102600

AUS9-1997-0113-US2

exists in the second display area. Thus, for example in Figure 6, the first action is "show" (which is bolded) and the object is "account." The predetermined relationship between the "account" object and the "show" action requires a listbox 116 of account names to be displayed in the second area (since the DCECP CLI syntax returns a list of account names as an argument to the account show command). The display illustrates the administrator selecting cell_admin from the list of accounts in the DCE cell, checking the "all" option, and pressing the "Execute" button in the top frame. In response, an HTML request is issued to the target Web server to which the secure Web client is connected. A management task is effected at the Web server (preferably via a CGI script), and the resulting management data is returned to the Web client and displayed in the bottom frame. The bottom frame shows the results of executing the action, which is all the attributes and values stored on the cell_admin account object.

Now, as discussed above, it is assumed that the administrator moves from the "show" action to the "modify" action. In other words, the administrator has moved between actions for the same object (in this case, the "account" object). The first action may be considered a currently selected action and the new action may be considered a target action. In the preferred embodiment, the listbox 116 in the second display area remains persistent, as the interface defaults to the last context used by the administrator. Thus, the interface infers that the administrator desires to modify the

AUS9-1997-0113-US2

properties of cell_admin, although the administrator may select some other account name.

Instead of just moving between actions for a given object, the administrator may desire to move to a new object. In the example shown in Figure 6, this operation would be effected by the administrator pointing and clicking on another registry object (sometimes referred to as a "target") in line 112 of the hierarchy. In this case, the existing relationship between the target object and the currently-selected action may (or may not) dictate an alternate display element in the second display area. If, as a result of this relationship, a new display element is required, the display area 115 is refreshed with a new form or other required element. The display area 115 thus displays a given "context" associated with a given object and a given action. Thus, for example, if the administrator were to click on the group link in Figure 6 (given that account and show were the current selections), the group link would be highlighted (and the account link highlight removed), the display area 115 would be refreshed with a new listbox including a list of "groups." This new listbox represents a new context. One of the groups (preferably the "primary" group of the previously selected account, by default) would be highlighted. New control buttons (associated with the new object/action relationship) will then be displayed in the third display area 121. The administrator then uses this newly-refreshed upper frame to continue the management operation.

Generalizing, the upper frame of the interface (which may be the entire screen if desired) includes a

AUS9-1997-0113-US2

first display area in which is displayed a graphical representation of the CLI object/action hierarchy. Hyperlinks associated with the elements in the representation present the administrator with simple navigation options. A second display area includes a form by which the user types in, selects and/or checks information associated with a particular object/action relationship. The user may navigate in the first display area between actions associated with the same object, in which case the interface preferably retains in the second display area a last context selected by the user. The user may also navigate in the first display area to new objects, in which case the interface preferably refreshes the second display area as needed to illustrate a new context between the new object and its associated actions.

Thus, in the illustrated embodiment of Figure 6, the first entry **111** gives the administrator the chance to make a major traversal back up the administration tree by hopping back to the DCECP Main Menu Web page. This is accomplished as noted above by placing the cursor on the DCECP Main Menu link and clicking. Additional "major" navigation options may also be available on this line if desired. The second line (reference numeral **112**) allows the administrator to navigate between related object groups. The third line (reference numeral **114**) allows the administrator to navigate between actions on the same DCE object.

Preferably, the DCE object and action navigation links for the elements being displayed are in bold and are not selectable on the page to which they are related.

AUS9-1997-0113-US2

This provides a further navigation clue, besides the title, regarding which action(s) the administrator can perform. The second and third navigation lines of the hierarchy 110 provide a powerful set of architectural links for administrators to quickly and easily perform different actions without having to traverse up and down a fixed hierarchy. As previously noted, preferably the contents of the bottom frame will not change until the Execute or Help buttons (in the third display area) are pressed.

Preferably, the two frame design of **Figure 6** is utilized whenever form-based information is needed and some output of management data may be generated. Generally, the top or upper frame displays the form that the administrator fills out in preparation of executing a given command or action, while the bottom frame shows the output of the command or action. In addition, most Web browsers allow users to copy or save text from either frame for inclusion in reports or other files. Thus, information set forth in the various frames may be copied into other documents and saved in a known manner.

The use of browser frames in which command and actions, on the one hand, and management data, on the other hand, are manipulated, provides significant advantages in the context of a DCE management scheme. This approach maximizes interaction and feedback to the administrator. For example, the administrator can quickly select an account name from the list of accounts in the DCE cell in the top frame, press the Execute button at the bottom of the top frame and have the results appear in the bottom frame. To perform the

AUS9-1997-0113-US2

action on another account, the administrator can follow the same steps without needing to switch pages. When the administrator switches to another action, such as from account catalog to account show, the top frame will
5 change, but the contents of the bottom frame preferably will not change. This gives the administrator a chance to view the results of a previous action and make a next action based an observation of the previous results, all without having to switch to another page or interface.

10 The present invention provides numerous advantages over the prior art. An existing secure Web browser can be used to manage DCE cells. The browser interface is well-known and easy to use. It affords a consistent and reliable means by which a network administrator can
15 retrieve management information from a server in the DCE cell. Management is simplified by presenting information hierarchically and through exploitation of the known DCE object/action interfaces. Using Web-based CGI scripting, the tool reacts dynamically to administrator selections
20 and the current state and defined objects in the DCE cell. The interface is highly streamlined and, typically, does not attempt to represent every DCE object as an icon or graphic on the Web page.

The frame-based approach described in the preferred
25 embodiment offers significant advantages. Without this design, the administrator would have to view the results of his or her administrative actions on a separate page and then switch back and forth between the forms page and the output page. Non-frame based Web browsers would also
30 have to present their results in this way.

AUS9-1997-0113-US2

In the preferred embodiment, the DCECP command Web pages are not statically defined HTML pages (although they could be). Instead, these command pages take advantage of CGI scripting to dynamically generate HTML pages based on the administrator's actions and selections. For example, in the illustrated embodiment discussed above, there is no "account_show.html" page per se. Rather, when the administrator selects the account show action, a CGI script builds the HTML page, filling in dynamic information, such as the current list of accounts in the DCE cell, and sends this information back to the secure Web browser client for presentation to the administrator. This implementation has many advantages in eliminating the need for multiple static Web pages. It also reacts to and presents changeable information in the cell.

This Web-based design uses the DCE command line program, DCECP, to effect most of the administrator's tasks. This provides the administrator with a direct correlation between actions performed in the Web interface to commands and tasks that can be performed with DCECP on the workstation or via a telnet connection to the workstation. DCECP is not a required part of the design, however. The CGI scripts behind the Web pages may interface with a custom-built daemon to process the administrator-initiated commands.

Another advantage is that inventive interface is portable to many versions of DCE since it uses the standard DCECP command line interface. It only needs to be recompiled, if implemented in a non-interpreted language, per operating system platform, not per version

AUS9-1997-0113-US2

of DCE. The interface is also portable to many Web servers since it is preferably implemented as CGI scripts, not as special plug-ins or additions to the Web server application. Moreover, in the preferred
5 embodiment, the interface does not require Web client side changes. This enables any frame-enabled Web browser to be used.

The present invention includes a "client" component resident on a computer configured as a secure Web client,
10 and a "server" component resident on a computer configured as a target Web server. Management information is generally supported on the target Web server and is thus accessible to a user (e.g., a network administrator) operating the client machine after a logon
15 in which a "credential" is maintained at each end of the Internet connection.

The present invention is not limited to management of DCE "cells" either. One of ordinary skill in the art will appreciate that the inventive use of a Web-based or
20 other graphical user interface may be implemented in any distributed computing environment (not merely OSF DCE) wherein it is desired to have an administrator manage client machines in secure manner using a CLI. Moreover, the set of DCE-based objects and actions are merely
25 representative as well, and the present invention should be broadly construed to cover any interface that presents a set of objects and a set of actions and allows the user (e.g., an administrator) to select both an object and an action and then switch between respective objects or
30 actions. The interface may be generalized to any display tool that presents the results of a prior-executed action

AUS9-1997-0113-US2

while allowing the user to select a new object and action to be executed.

One of the preferred implementations of the Web-based DCE management scheme of the invention is as a set of instructions (program code) in a code module resident in the random access memory of the computer. Until required by the computer, the set of instructions may be stored in another computer memory, for example, in a hard disk drive, or in a removable memory such as an optical disk (for eventual use in a CD ROM) or floppy disk (for eventual use in a floppy disk drive), or downloaded via the Internet or other computer network. In addition, although the various methods described are conveniently implemented in a general purpose computer selectively activated or reconfigured by software, one of ordinary skill in the art would also recognize that such methods may be carried out in hardware, in firmware, or in a more specialized apparatus constructed to perform the required method steps.

As used herein, "Internet client" should be broadly construed to mean any computer or component thereof directly or indirectly connected or connectable in any known or later-developed manner to a computer network, such as the Internet. The term "Internet server" should also be broadly construed to mean a computer, computer platform, an adjunct to a computer or platform, or any component thereof. Of course, a "client" should be broadly construed to mean one who requests or gets the file, and "server" is the entity which downloads the file. It should also be appreciated that the present invention could be used to cache data and programs at a

AUS9-1997-0113-US2

local server serving a set of Internet clients from a master server to conserve network resources.

It is important to note that while the present invention has been described in the context of a fully functioning data processing system, those of ordinary skill in the art will appreciate that the processes of the present invention are capable of being distributed in the form of instructions in a computer readable medium and a variety of other forms, regardless of the particular type of signal bearing media actually used to carry out the distribution. Examples of computer readable media include media such as EPROM, ROM, tape, paper, floppy disc, hard disk drive, RAM, and CD-ROMs and transmission-type media, such as digital and analog communications links.

The description of the present invention has been presented for purposes of illustration but is not intended to be exhaustive or limited to the disclosed embodiments. Many modifications and variations will be apparent to those of ordinary skill in the art. The embodiments were chosen to explain the principles of the invention and its practical applications and to enable others of ordinary skill in the art to understand the invention in order to implement various embodiments with various modifications as might be suited to other contemplated uses.

What is claimed is:

1. A method of effecting management tasks in a distributed computing environment cell having at least one Web client with a browser connectable to a Web server, the distributed computing environment including a security service, comprising the steps of:

responsive to user actions, displaying a plurality of Web pages in the browser from which the authenticated user manages the distributed computing environment cell; and

2. The method of claim 1 wherein upon authentication of the user, an administration main menu Web page of the sequence of Web pages is displayed.

4. The method of claim 3 wherein the step of managing the distributed computing environment cell is initiated by selecting one of the hypertext links associated with a management command option.

AUS9-1997-0113-US2

5. The method of claim 4 wherein the management command option calls a fast path task Web page from which the authenticated user performs multiple step administrative tasks with a single action.

5

6. The method of claim 4 wherein the management command option calls a server status Web page from which the authenticated user may view server status information.

10 7. An apparatus for effecting management tasks in a distributed computing environment cell having at least one Web client with a browser connectable to a Web server, the distributed computing environment including a security service, the apparatus comprising:

15 authenticating means for authenticating a user of the Web client by returning a credential from the security service;

20 first displaying means for displaying, responsive to user actions, a plurality of Web pages in the browser from which the authenticated user manages the distributed computing environment cell; and

managing means for managing the distributed computing environment cell from the Web browser.

25 8. The apparatus of claim 7 wherein the first displaying means further comprises:

second displaying means for displaying, upon authentication of the user, an administration main menu Web page of the plurality of Web pages.

30

9. The apparatus of claim 8 wherein the administration main menu Web page includes hypertext links associated with management command options.

initiating means for initiating management of the distributed computing environment cell by selecting one of the hypertext links associated with a management command option.

11. The apparatus of claim 10 wherein the management command option calls a fast path task Web page from which the authenticated user performs multiple step administrative tasks with a single action.

12. The apparatus of claim 10 wherein the management command option calls a server status Web page from which the authenticated user may view server status information.

20

AUS9-1997-0113-US2

13. A computer program product on a computer readable medium for use in a data processing system for effecting management tasks in a distributed computing environment cell having at least one Web client with a browser
5 connectable to a Web server, the distributed computing environment including a security service, the computer program product comprising:

instructions for authenticating a user of the Web client by returning a credential from the security
10 service;

instructions for displaying, responsive to user actions, a plurality of Web pages in the browser from which the authenticated user manages the distributed computing environment cell; and

15 instructions for managing the distributed computing environment cell from the Web browser.

14. The computer program product of claim 13 wherein the instructions for displaying further comprise:

20 instructions for displaying, upon authentication of the user, an administration main menu Web page of the plurality of Web pages.

15. The computer program product of claim 14 wherein the
25 administration main menu Web page includes hypertext links associated with management command options.

009207-432660

16. The computer program product of claim 15 further comprising:

initiating means for initiating management of the distributed computing environment cell by selecting one of the hypertext links associated with a management command option.

17. The computer program product of claim 16 wherein the management command option calls a fast path task Web page from which the authenticated user performs multiple step administrative tasks with a single action.

18. The computer program product of claim 16 wherein the management command option calls a server status Web page from which the authenticated user may view server status information.

AUS9-1997-0113-US2

ABSTRACT OF THE DISCLOSURE

METHOD AND SYSTEM FOR WEB-BASED DCE MANAGEMENT

5 A frames-based Web browser is used with existing distributed computing environment (DCE) interfaces to facilitate and simplify management of DCE cells. In the preferred embodiment, administration may be performed from any secure Web browser acting as a client.

10 Management data is typically supported on a target Web server. At the browser, CGI scripts are used to dynamically generate HTML (hypertext markup language) pages based on the network administrator's selections and the current state and defined objects in the DCE cell.

15 The result is a robust and efficient Web-based DCE management scheme.




FIG. 1




FIG. 3

09697264 102600

File Edit View Go Bookmarks Options Directory Window Help

Back Home Reload Open Print Find

Location:

What's New What's Cool Handbook Net Search Net Directory Software

IBM DCE Web Administration

© IBM Corporation

Welcome to DCE Web Administration
Please enter your DCE Userid and Password.

Userid 60

Password 62

66

64

If you do not login you will not be able to perform certain DCE actions.

65

Document: Done.

FIG. 2






FIG. 5




FIG. 6

**DECLARATION AND POWER OF ATTORNEY FOR
PATENT APPLICATION**

As a below named inventor, I hereby declare that:

Our residences, post office addresses and citizenship are as stated below next to our names;

I believe I am the original, first and sole inventor (if only one name is listed below) or **an original, first and joint inventor** (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

WEB-BASED DCE MANAGEMENT

the specification of which (check one)

 X is attached hereto.

 was filed on
as Application Serial No.
and was amended on
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

Priority Claimed

(Number) (Country) (Day/Month/Year)

 Yes No

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in Title 37, Code of Federal Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial #)	(Filing date)	(Status)
------------------------	---------------	----------

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

John W. Henderson, Jr., Reg. No. 26,907; William T. Ellis, Reg., No. 26,874; Thomas E. Tyson, Reg. No. 28,543; Robert M. Carwell, Reg. No. 28,499; Richard A. Henkler, Reg. No. 39,220; Jeffrey S. LaBaw, Reg. No. 31,633; Douglas H. Lefevre, Reg. No. 26,193; David A. Mims, Jr., Reg. No. 32,708; Mark S. Walker, Reg. No. 30,699; Casimer K. Salys, Reg. No. 28,900; Volel Emile, Reg. No. 39,969; Christopher A. Hughes, Reg. No. 26,914; Edward A. Pennington, Reg. No. 32,588; John E. Hoel, Reg. No. 26,279; Joseph C. Redmond, Jr., Reg. No. 18,753 and David H. Judson, Reg. No. 30,467.

Send correspondence to: David H. Judson, Hughes & Luce, L.L.P., 1717 Main Street, Suite 2800, Dallas, Texas 75201 and direct all telephone calls to Mr. Judson at 214/939-5672.

FULL NAME OF FIRST INVENTOR: Theodore Jack London SHRADER

INVENTOR'S SIGNATURE: 


DATE: May 22, 1997

RESIDENCE: Cedar Park, TX

CITIZENSHIP: United States

POST OFFICE ADDRESS: 1704 Shady Brook Lane
Cedar Park, TX 78613

FULL NAME OF SOLE OR SECOND INVENTOR: Richard Jay COHEN

INVENTOR'S SIGNATURE: 

DATE: May 22, 1997

RESIDENCE: 7613 Waldon Drive
Austin, TX 78750

CITIZENSHIP: United States

POST OFFICE ADDRESS: 7613 Waldon Drive
Austin, TX 78750

09597264-402600

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: **Shrader et al.**§ Group Art Unit: **2773**Serial No.: **Unknown (Divisional of 08/889,727)**

§

§ Examiner: **Sax**Filed: **(Herewith)**

§

§ Atty. Docket No.: **AUS9-1997-0113-US2**For: **Method and System for Web-Based DCE
Management**

§

§

§

ASSOCIATE POWER OF ATTORNEY

Hon. Assistant Commissioner of Patents

Washington, D.C. 20231


Sir:

I hereby appoint Joseph R. Burwell, Reg. No. 44,468 as associate attorney to prosecute the above-identified application and transact business in the U.S. Patent and Trademark Office connected herewith.

Date:

10/26/00

Respectfully submitted,



Jeffrey S. LaBaw

Reg. No. 31,633

Intellectual Property Law Dept.

IBM Corporation

11400 Burnet Road -- 4054

Austin, Texas 75758

voice: (512) 823-0494

fax: (512) 823-1036

Attorney for Applicant